



***** **CERTIFICATE OF ANALYSIS** *****

Article:	CompoFlow®4F T&B-66,5ml CPD/105ml SAG-M-RCC-PDS-V		
Article number:	CQ32R60		
Anticoagulant solution:	66,5 ml CPD	Quantity:	7 056
Preservation solution:	105 ml SAG-Mannitol	Expiry date:	2026-09
Batch number:	41WK24FA00		
Manufacturing date:	25 October 2024		

Test results

1. CPD Anticoagulant solution

	Method¹	Nominal value	Limits	Results
Sodium citrate.2H ₂ O	HPLC	26,3 g/l	25,0 – 27,6 g/l	25,5 g/l
Citric acid.1H ₂ O	HPLC	3,27 g/l	2,94 – 3,60 g/l	3,17 g/l
NaH ₂ PO ₄ .2H ₂ O	HPLC or Spectr.Ph.	2,51 g/l	2,38 – 2,64 g/l	2,48 g/l
Glucose.1H ₂ O ²	HPLC	25,5 g/l	24,2 – 26,8 g/l	24,7 g/l
5-HMF	HPLC		< 5 ppm	0,4 ppm
pH	Potent.	5,6	5,3 – 5,9	5,8
Volume	Volumetr.	66,5 ml	61 – 72 ml	69 ml

2. SAG-Mannitol Preservation solution

	Method	Nominal value	Limits	Results
Sodium chloride	Argent.	8,77 g/l	8,33 – 9,21 g/l	8,62 g/l
Adenine	HPLC	0,169 g/l	0,161 – 0,177 g/l	0,164 g/l
Glucose.1H ₂ O ²	HPLC	9,00 g/l	8,55 – 9,45 g/l	8,80 g/l
Mannitol	HPLC	5,25 g/l	4,99 – 5,51 g/l	5,15 g/l
5-HMF	HPLC		< 5 ppm	0,4 ppm
pH	Potent.	5	3,5 – 6,0	5,2
Volume	Volumetr.	105 ml	95 – 115 ml	110 ml

¹) The used test methods are equivalent or more accurate than the corresponding methods described in the Eur. Pharm.

²) As total reducing sugars

- | | | |
|--|---|--------------------|
| 3. Characteristics: clear, colourless to faintly yellow solution practically free from visible particles | | conform |
| 4. Physical control: in accordance with specifications | | conform |
| 5. Sterility (Eur. Pharm.): sterile | | conform |
| 6. Bacterial Endotoxines (Eur. Pharm.): | CPD: < 5,56 EU/ml
SAGM: < 5,56 EU/ml | conform
conform |
| 7. Used Filterbatch | | 24RF030 |

<u>Batch released by Quality Assurance.</u>	<u>Manufactured by:</u>
Date: 14.11.2024	Fresenius Kabi AG
Name: Tykva František	Plant:
Signature:	Fresenius Kabi Horatev CZ s.r.o. Hořátev 104, 289 13 Czech Republic